


Chiral GC-Separation of 1-Octen-3-ol

Column: BGB-174
30m x 0.25mm I.D. 0.25 μ m df
P/N: 27430-025

Conditions: Carrier Gas: Helium 120 kPa
Oven: 50° initial, 5min, rate 1°/min
Injector: Split 1:40, Temp. 220°
Detector: FID, Temp. 220°
Sample: 0,1% in Hexane, Injection volume 1 μ l

Contact: info@bgb-analytik.com



Retention Time	Name
----------------	------

49.0	1-Octen-3-ol
------	--------------

49.6	1-Octen-3ol
------	-------------